

SMACHAE



An innovative drug that will make your dreams come true.
Made by SowonBio Co., Ltd.

Преимущества SMICHAE F


made by SowonBio Co., Ltd




Long lasting
effect




Collagen
regeneration



Lifting effect



Cellulite
reduction



No swelling or
bruising



Absolutely
painless



SMICHAE F premium lipolytic is absolutely painless for combating local fat deposits.

The product is clinically tested and approved by dermatologists in South Korea. ROYAL F ideally removes excess fat.

Effectively reduces and tightens the skin of the face and body.

Reduces volume by 2-3 mm, noticeable results are visible after the first procedure. Absolutely painless and does not cause swelling. The drug is known for its stable performance and effectiveness. Helps reduce excess fat in a short period by selectively disrupting the functioning of fat cells. An experiment on the reaction of reducing fat cells showed one of the best results.

The percentage of fat cells decreased by 89%

Main ingredients of SMICHA E F

made by SowonBio Co., Ltd

[fuchsia]



Fuchsia extract gives a powerful effect in losing weight. It targets cellulite, improving and evening out skin tone.

[Anemone]



Its roots contain saponin, which gives the skin a natural shine and radiance. And the extract acts as an antibacterial, detoxifying and antipyretic agent. It also soothes the skin, gives a healthy tone, making it more elastic..

[Papaya]




Vitamin A and E are known to be very effective in hydration. They are also a powerful antioxidant, so they help keep the skin fresh. The enzyme, a natural protease, is harmless and non-toxic. Gently removes dead skin cells, softening it and helping wounds heal quickly.

Main ingredients of SMICHAE F

made by SowonBio Co., Ltd

[Sodium chloride]



Helps dilate blood vessels.
Make blood flow smoother, improve blood vessel formation and activate cardiac metabolism

[Walnut]



The content of linolenic acid, arginine and vitamin E improves blood circulation and removes dead cells..

[Fumaria]



Prevents damage from polluted air, particularly ozone.

[Castanea]




Helps improve blood circulation by increasing tension in the walls of blood vessels

Main ingredients of SMICHA E F

made by SowonBio Co., Ltd

- SODIUM DEOXYCHOLATE 0.07%** • Destroys the adipocyte membrane, increases its permeability
- PHOSPHATIDYLCHLOROLINE 0.05%** • Transforms fats into an emulsion that is eliminated through the lymph
- AMINOPHYLLINE 1.5%** • Has a powerful lymphatic drainage, mild diuretic effect
- HYALURONIDASE - 0.3%** • Anti-edematous and anti-inflammatory properties





Based on the table of dynamics of a group of people who were treated. Shows the highest breakdown of cellulite with a 45-50% reduction in flaccid cellulite.

- 29 ~ 32% reduction in edematous cellulite**
- 45 ~ 50% reduction in flaccid cellulite
 - 18 ~ 22% reduction in hard cellulite

SMICHAEL F

made by SowonBio Co., Ltd.



Protocol for face SMICHAE F

made by SowonBio Co., Ltd


SKIN MARKING AND ANTISEPTIC TREATMENT. TO DISINFECT THE SKIN, A 0.05% SOLUTION OF CHLORHEXIDINE ABIGLEBCONATE IS USED. FOR EXTERNAL USE OR ALCOHOL CONTAINING PRODUCTS

SHAKE THE BOTTLE THOROUGHLY AND MIX THE CONTENTS WELL BOTTOM OF THE BOTTLE.

BEFORE STARTING THE PROCEDURE, IT IS IMPORTANT TO PERFORM LYMPHATIC DRAINAGE VASCULAR MASSAGE OF LOCAL AREAS.

METHOD OF ADMINISTRATION OF LIPOLYTICS - LINEAR INJECTIONS (DEPTH AT 6 OR 12-13 MM, WHICH WILL DEPEND ON THE VOLUME OF FAT APPPOSITION).

AREAS OF INFLUENCE ARE SUBCUTANEOUS FATTY TISSUE, TISSUES ARE PINCHED.



Protocol for face SMICHAE F

made by SowonBio Co., Ltd


SKIN MARKING AND ANTISEPTIC TREATMENT. TO DISINFECT THE SKIN, A 0.05% SOLUTION OF CHLORHEXIDINE ABIGLEBCONATE IS USED. FOR EXTERNAL USE OR ALCOHOL CONTAINING PRODUCTS

SHAKE THE BOTTLE THOROUGHLY AND MIX THE CONTENTS WELL BOTTOM OF THE BOTTLE.

BEFORE STARTING THE PROCEDURE, IT IS IMPORTANT TO PERFORM LYMPHATIC DRAINAGE VASCULAR MASSAGE OF LOCAL AREAS.

METHOD OF ADMINISTRATION OF LIPOLYTICS - LINEAR INJECTIONS (DEPTH AT 6 OR 12-13 MM, WHICH WILL DEPEND ON THE VOLUME OF FAT APPPOSITION).

AREAS OF INFLUENCE ARE SUBCUTANEOUS FATTY TISSUE, TISSUES ARE PINCHED.



1. FAT DEPOSITS IN THE BACK OF THE NECK (WIDOW'S HUMP) 0.1ML

2. BACK AREA 0.1ML

3. LUMBAR SIDE 0.1ML - 0.2ML

4. ANTERIOR ABDOMINAL AREA 4.0 ML - 6.0 ML

5. INNER SURFACE OF HIPS 0.1ML - 0.2ML

6. AREA OF PATELLAR FAT ROLLERS 0.1ML - 0.2ML

7. OUTER THIGH AREA 0.1ML - 0.2ML

8. SHOULDER AREA 0.1ML - 0.2ML

Results BEFORE AFTER SMICHAEL F

made by SowonBio Co., Ltd

