




SMICHAË REFILO

Restore your skin to a radiant glow

s o w o n b i o

customercenter@sowonbio.kr



CONTENTS

01	WHAT IS THE SMICHAE REFILO
02	INTRODUCTION
03	MAIN INGREDIENTS & EFFECT
04	USAGE & CYCLE
05	STORAGE METHOD & PRECAUTIONS

WHAT IS THE SMICHAE REFILO

SMICHAE REFILO IS A PRODUCT CONTAINING EXOSOMES, PEPTIDES, HYALURONIC ACID, AND VITAMINS. WHEN USED, IT HELPS REGENERATE THE SKIN, PROVIDE DEEP HYDRATION, AND PROMOTE A HEALTHY, RADIANT COMPLEXION.

RefiLo

INTRODUCTION



Division

- **Product Name**
- **Packaging Unit**
- **Storage Method**
- **Main Ingredients**
- **Area of Use**

Content

- SMICHAE REFILO ampoule
- 3ML*10VAIAL /BOX
- Store at room temperature (2–20°C), away from direct sunlight.

Exosomes, Vitamin B, Hyaluronic Acid, Damask Rose Culture Extract, Centella Asiatica Culture Extract, Peptides, etc.

- Face

MAIN INGREDIENTS & EFFECT

Hyaluronic Acid

- Anti-inflammatory
- Powerful Moisturizing Effect
- Improves Skin Elasticity
- Promotes Skin Regeneration

Exosomes

- Reduces Wrinkles
- Promotes Collagen Production
- Repairs Damaged Tissue

Recommended for:

- - With dry skin
- - Those who feel their pores are enlarged
- - Those concerned about dull skin
- - Those with reduced skin elasticity

Vitamin B


- Promotes Cell Recovery and Improves Skin Tone
- Soothes the Skin and Provides Anti-Inflammatory Benefits
- Strengthens the Skin Barrier

Centella Asiatica Culture Extract and Plant Culture Extract

- Anti-Aging Benefits
- Soothes the Skin

USAGE & CYCLE

Usage Frequency



How to Use

- When used alone

Recommended Usage Amount: 3 mL–5 mL

1 Use 0.05–0.1 mL per point.
Use of a 34G needle is recommended.

2. Use with a skin booster injection device

- When used in combination with collagen

Recommended Usage Amount: 3 mL + 1 mL or 0.5 mL of Atelocollagen

1. Hand Injection
Use 0.05–0.1 mL per point.
Use of a 34G or 32G needle is recommended.

STORAGE METHODS & PRECAUTIONS

Storage Method

- **Store at room temperature (2–20°C), away from direct sunlight.**

*Precautions:

If the product is exposed to direct sunlight or stored at an inappropriate temperature, it may change to a light pink color, and Vitamin B may oxidize, causing a yellow discoloration.

If Vitamin B becomes oxidized, the product can still be used; however, the efficacy of Vitamin B may decrease, which could affect the overall performance of the product.

Therefore, please ensure the product is stored away from light and kept at the recommended temperature.

Precautions Before Use

- **Please check for any discoloration before use.**

If the product has changed color due to improper storage, its effectiveness may be reduced. Therefore, please make sure the solution is a light pink color before use.

Please adhere to the recommended usage amount.

Using an excessive amount at once can reduce metabolism and absorption, and may temporarily cause marks or embossing at the treated area. If this occurs, immediately massage the area to help disperse the product.

Precautions After Use

- **Due to the nature of the product, moisturizing care is essential after use.**

Due to the hyaluronic acid contained in the product, temporary dryness may occur for about an hour. Hyaluronic acid draws in large amounts of moisture after the procedure to regenerate, repair, and hydrate the skin. If moisturizing care is not applied after treatment, the effectiveness of the product may be reduced.

- Significant results may be difficult to achieve with a single use, and regular, repeated treatments are necessary for optimal effects.

THANK YOU

